

#### U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460

84229-37

Date of Issuance:

EPA Reg. Number:

7/13/15

V	CT	710	CE.	$\Omega$	F۱	P	FS	$\Gamma I$	C	$\Gamma$	F	•
N	<b>、</b> ,,,	٠,		<b>\</b> /			'A )		<b>\</b>		, i .	

X Registration Reregistration (under FIFRA, as amended) Term of Issuance: Unconditional

Name of Pesticide Product:

Tide Glyphosate 41% Plus Weed and Grass Killer

Name and Address of Registrant (include ZIP Code):

Ann M. Tillman, Agent Tide International USA, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136<sup>th</sup> Street, NW Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

- 1. Submit and/or cite all data required for registration/registration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
- 2. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Continued on page 2

Signature of Approving Official:	Date:
Reuben Baris, Product Manager 25 Herbicides Branch, Registration Division (7505P)	7/13/15

Page 2 of 2 EPA Reg. No. 84229-37 Decision No. 494119

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 07/31/2014
- Alternate CSFs #1 & #2 dated 07/31/2014

If you have any questions, please contact Mindy Ondish by phone at 703-605-0723, or via email at ondish.mindy@epa.gov.

Sincerely,

Reuben Baris, Product Manager 25 Herbicide Branch Registration Division (7505P) Office of Pesticide Programs

Enclosure

### Tide Glyphosate 41% Plus Weed and Grass Killer

[Note to reviewer: Optional proposed text appears in brackets – the final label may include some or all of the optional text]

[Ultra formula] [Concentrated for extra value] [Concentrated and economical]

[Super concentrate]

[Built in measuring cap and pour spout]

[Now/New measuring cap and pour spout included]

[Easy Measure] [Easy Pour]

[Water-based formulation]

[Low odor] [No roots] [No weeds] [No problem]

[Makes up to [21] [35] [85] [213] gallons [of spray solution] [varies with container size]

[Covers up to [6,300] [10,500] [12,900] [25,500] [63,900] sq ft [varies with container size]

[One gallon of spray solution covers 300 sq ft] [75 sq ft per qt] [55 sq ft per 24 fl oz]

[Kills weeds and grasses] [in 1 to 2 weeks] [right down to the root]

[See results in 2-4 days]

[Kills [even] the [hardiest] [toughest] of weeds and grasses]

[Multi-purpose Grass & Weed Killer]

[A general purpose broadleaf weed & grass killer]

[Kills undesirable weeds and grasses]

[Kills the weed above and the root below]

[Kills weeds & grasses to the root]

[Kills weeds & grasses down to the root]

[Kills unwanted vegetation right down to the root]

[Apply using] [For application with] [Standard Tank Sprayer, BIG SHOT® Multi-purpose sprayer; ORTHO®

Dial 'n Spray®; ORTHO SPRAY-ETTE®; other ORTHO hose-end sprayer or other hose-end sprayer] [Use for site preparation for large plantings, such as flower beds, fruit trees, ornamentals, vegetables,

garden sites and to renovate or replace lawns]

[Kills many of the weeds you don't want] [Rid weeds] [Get rid of weeds] in flowerbeds, along fences, around trees, shrubs, driveways, walkways, in and around fences, patios, paths, sidewalks and curb cracks, walkways and trails]

[Reseed or sod new lawns 7 days following treatment]

[Ornamentals can be planted or transplanted the day following treatment]

[Contains] [Includes] [With] [Surfactant] [Wetting Agent] [Sticking Agent]

PRODUCT USAGE				
Kills unwanted weeds and grasses				
Use On  Driveways, walkways, curbs, patios Around fruits, trees, shrubs, flowers, vegetable gardens Along fences and sidewalks				
Amount to Use Use 2 ½ fl. oz. (5 Tbs.) per gallon of water for 300 sq ft.				

#### **ACTIVE INGREDIENT:**

*Glyphosate, [N-(phosphonomethyl) glycine], in the form of its isopropylamine salt	41.0%
OTHER INGREDIENTS:	<u>59.0</u> %
TOTAL:	100.0%

<sup>\*</sup>Contains 30.4% of the acid, glyphosate. Equivalent to 3 pounds per gallon of the acid, glyphosate.

# CAUTION

READ PRECAUTIONS AND DIRECTIONS ON [BACK] [SIDE] [INSIDE] LABEL. or

ACCEPTED

07/13/2015

Under the Federal Insecticide, Fungicide

and Rodenticide Act as amended, for the

84229-37

pesticide registered under

EPA Reg. No.

#### SEE [BACK] [SIDE] [INSIDE] PANEL} [BOOKLET] FOR ADDITIONAL PRECAUTIONARY **STATEMENTS**

PEEL OPEN FOR USE DIRECTIONS AND FURTHER INFORMATION.

EPA Reg. No. 84229-37

EPA Est. No.

#### Manufactured for:

Tide International, USA, Inc. 21 Hubble Irvine, CA 92618

> NET CONTENTS: 32 fl oz (1 quart)(946 mL) 53.7 fl oz (0.42 gallon)(1.5L) 128 fl oz (1 gallon)(3.7L) 320 fl oz (2.5 gallon)(9.4L)

FIRST AID				
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>			
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>			
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
HOT LINE NUMBER				
Have the product container or label with you when calling a poison control center or doctor, or going for				
treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.				

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, and long pants, shoes and socks.

#### **ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

#### PHYSICAL AND CHEMICAL HAZARDS

Do not mix or allow product to come in contact with oxidizing agents. Hazardous chemical reaction may occur.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Read the entire panel before using this product.] [Use only according to label instructions observing all precautions].

[Note: See the CONSUMER INFORMATION section of this label for important information on protecting plants you like.]

#### [CONSUMER INFORMATION]

[This product will treat up to:

6,300 sq ft (approx. size of 3 tennis courts) - for quart size 10,500 sq ft (approx. size of 5 tennis courts) - for 53 fl oz size 25,500 sq ft (approx. size of 12 tennis courts) – for 1 gallon size 63,900 sq ft (approx. size of 30 tennis courts) – for 2.5 gallon size]

**Mixing Directions:** For best results use 2  $\frac{1}{2}$  fl. oz. (5 Tbs) per gallon of water. One gallon of water will treat approximately 300 sq ft.

[Tide Glyphosate 41% Plus Weed and Grass Killer eliminates nearly all common weeds, grasses and unwanted vegetation.]

[Illustrations]

[Add water and use along fences, in driveways, sidewalks, brick and gravel walkways, next to trees and shrubs, and around buildings to control weeds and unwanted vegetation. Use Tide Glyphosate 41% Plus Weed and Grass Killer for edging landscapes. Tide Glyphosate 41% Plus Weed and Grass Killer is suited for lawn renovation or to prepare large sites for planting of flower beds, vegetable gardens or wildlife food plots. Tide Glyphosate 41% Plus Weed and Grass Killer can also be used for large jobs such as lawn renovation and vegetable and flower garden preparation.

[For edging around lawns] [For lawn replacement/renovation] [For garden plot preparation] [Do not use on or around edible feed or food crops.]

**Important:** This product is a non-selective herbicide that will kill all vegetation contacted. This herbicide kills unwanted plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any Tide Glyphosate 41% Plus Weed and Grass Killer not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants.

Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

Keep children and pets away from treated areas until spray has dried.

#### CONTROLS ALL TYPES OF WEED AND GRASSES INCLUDING:

#### [Annual Weeds and Grasses:

Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue toadflax, brassbuttons, blue mustard, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common groundsel, common lambsquarters, common plantain, common ragweed, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbania, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurges, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium\*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis] [and many other annual grasses and weeds] [controls many unwanted plants] [kills most types of weeds and grasses].

#### [Perennial weeds, grasses and brush [Tough weed control]:

Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermuda grass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, bull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping lantana, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescue species, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horsenettle, horseradish, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapweed, knawel, kudzu, lantana, maiden cane, milkweed, mouseear chickweed\*, multiflora rose, nimblewill, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis\*, pampasgrass, pennywort, perennial ryegrass, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed\*, purple nutsedge, quackgrass, quaking aspen, ragweed, raspberry, red clover, smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morning-glory, wild oats, wild sweet potato, willow, varrow, yellow nutgrass, yellow starthistle,

zoysia] [and many other perennial grasses, weeds, brush and sedges] [controls many unwanted weeds/plants] [kills most types of weeds and grasses].

\*Annual or Perennial

#### [When to use] [When to apply]:

Apply to actively growing weeds, preferably before the seed heads form. Completely spray the foliage of the weeds and grasses you want to kill until thoroughly wet. It's best to apply on a warm sunny day when daytime temperatures are above 60° F. Weed control is accelerated by warm sunny weather. Apply when the wind is calm. [Rainfast in 2 hours.] [Rain or watering 2 hours after application will not wash away effectiveness.] Most treated weeds usually show initial symptoms in 2-4 days and complete kill in 1-2 weeks. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

#### [How to use] [How to apply]

This product is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below.) Apply with a plastic, aluminum or stainless steel tank-type sprayer.

Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can. Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use [the ORTHO Dial 'n Spray] [a hose-end sprayer] to treat large areas such as lawn renovation or to prepare sites for planting flower beds or vegetable gardens.

Apply to evenly and thoroughly wet weeds and grasses.

Apply Tide Glyphosate 41% Plus Weed and Grass Killer using any of the following equipment:

- Plastic, aluminum or stainless steel tank sprayer.
- ORTHO Dial 'n Spray<sup>®</sup>
- ORTHO Spray-Ette<sup>®</sup>
- A hose-end sprayer recommended for weed killers
- Hand-trigger pump sprayer

### **Cleaning Application Equipment:**

To clean sprayer after use, triple rinse sprayer and all sprayer parts with water. Spray rinse water on bare soil or gravel. After thorough cleaning, sprayer can be used for other products.

#### [Directions if container has a measuring cap:]

**Measuring Cap:** To open, squeeze the sides at the points indicated while unscrewing. There are [four] or [n] levels marked inside the measuring cap. Use the following table and the measuring cap to determine the amount of Tide Glyphosate 41% Plus Weed and Grass Killer to mix. Close cap tightly after use. No need to rinse cap. Use the mixed solution within 2 weeks.

Level 1 = 1 teaspoon (tsp)

Level 2 = 1 Tablespoon (Tbs) = 3 tsp

Level 3 = 1 floz (2 Tbs)

Level 4 = 2 fl oz (4 Tbs)

Level n = n fl oz

[Note to reviewer: The measuring cap may have more than 4 levels or at different intervals than noted above. If necessary, additional levels will be mentioned with appropriate conversions]

APPLICATOR	MIXING INST	AREA TO TREAT	
	General Weed Control	Tough Weed Control	
	Annuals	Perennials or Brush or	
		Lawn Renovation	
Standard	Fill cap to Level 2 three	Fill cap to Level 2 five	300 sq ft
Tank Sprayer	times (3 Tbs) [or equivalent	times (5 Tbs) [or	(30 ft x 10 ft)
	depending on cap size].	equivalent depending on	
	Add this to 1 gallon of water.	cap size]. Add to 1 gallon	
		of water.	
ORTHO Dial 'n	Fill cap to Level 2 three	Fill cap to Level 2 five	300 sq ft
Spray Hose-End	times (3 Tbs) [or equivalent	times (5 Tbs) [or	(30 ft x 10 ft)
sprayer; or [Dial-		equivalent depending on	

APPLICATOR	MIXING INST	AREA TO TREAT	
	General Weed Control Annuals	Tough Weed Control Perennials or Brush or	
	Ailiuais	Lawn Renovation	
type] Hose-End Sprayer	depending on cap size] and add to sprayer jar. DO NOT ADD WATER. Set dial to 1 ½ fl oz and spray.	cap size] and add to spray jar. DO NOT ADD WATER. Set dial to 2 ½ fl oz and spray.	
ORTHO Spray- Ette; <i>or</i> 6 Gallon Hose-End Sprayer	Fill cap to Level 4 three times (6 fl oz) [or equivalent depending on cap size] and add to spray jar. Fill to the 4 gallon mark and spray.	Fill cap to Level 4 five times (10 fl oz) [or equivalent depending on cap size] and add to sprayer jar. Fill to the 4 gallon mark and spray.	1200 sq ft (30 ft x 40 ft)
Hand trigger sprayers	Fill cap to Level 1 two times (2 tsp) [or equivalent depending on cap size]. Add this to 24 fl oz of water.	Fill cap to Level 2 one time (1 Tbs). Add this to 24 fl oz of water.	Use for spot treatments or application to single weeds.

[Directions for use when measuring cap packaging is not used]
Use the following table to determine the amount of Tide Glyphosate 41% Plus Weed and Grass Killer to mix with water. Close cap tightly after use. No need to rinse cap. Use the mixed solution within 2 weeks. 1 teaspoon (tsp)

- 1 tablespoon (Tbs) = 3 tsp.
- 1 fl oz (2 Tbs)
- 2 fl oz (4 Tbs)

APPLICATOR	MIXING INST	AREA TO TREAT	
	General Weed Control	Tough Weed Control	
	Annuals and Seedling	Perennials or Brush or	
	Weeds	Lawn Renovation	
Tank Sprayer	Use 1 ½ fl oz (3 Tbs) Tide	Use 2 ½ fl oz (5 Tbs) Tide	300 sq ft
	Glyphosate 41% Plus Weed	Glyphosate 41% Plus	(30 ft x 10 ft)
	and Grass Killer in 1 gallon	Weed and Grass Killer in	or use for spot
	of water.	1 gallon of water.	treatments
ORTHO Dial 'n	Add 1 1/2 fl oz (3 Tbs) Tide	Add 2 1/2 fl oz (5 Tbs) Tide	300 sq ft
Spray Hose-End	Glyphosate 41% Plus Weed	Glyphosate 41% Plus	(30 ft x 10 ft)
sprayer; or Hose-	and Grass Killer to sprayer	Weed and Grass Killer to	
End Sprayer	jar.	sprayer jar.	
	DO NOT ADD WATER.	DO NOT ADD WATER.	
	Set dial to 1 ½ fl oz and	Set dial to 2 ½ fl oz and	
	spray.	spray.	
ORTHO Spray-	Add 6 fl oz Tide Glyphosate	Add 10 fl oz Tide	1200 sq ft
Ette; or 6 Gallon	41% Plus Weed and Grass	Glyphosate 41% Plus	(30 ft x 40 ft)
Hose-End Sprayer	Killer to sprayer jar. Fill to	Weed and Grass Killer to	
	the 4 gallon mark and spray.	sprayer jar. Fill to the 4	
		gallon mark and spray.	
Hand trigger	Use 2 tsp in 24 fl oz of	Use 1 Tbs in 24 fl oz of	Use for spot
sprayers 24 fl oz	water.	water.	treatments or apply
capacity			to single weeds.
Hand trigger	Use 2 2/3 tsp in 32 fl oz of	Use 1 1/3 tbs in 32 fl oz of	Use for spot
sprayers 32 fl oz	water.	water.	treatments or apply
capacity			to single weeds.

#### [Where to use] [Use sites] [Use situations]

**General weed control:** Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since Tide Glyphosate 41% Plus Weed and Grass Killer kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see **For lawn renovation/replacement** instructions on this label.

**Spot treatments:** Direct spray on undesirable weeds and grasses in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Spray when air is calm. Prevent Tide Glyphosate 41% Plus Weed and Grass Killer spray from contacting the leaves, green stems, or exposed roots of plants you like. Use a cardboard or plastic shield to protect desirable plants from spray or drift. Tide Glyphosate 41% Plus Weed and Grass Killer will not move in or on the soil to untreated plants. If Tide Glyphosate 41% Plus Weed and Grass Killer is used to control weeds around fruit or nut trees or grapevines, wait **21 days** before eating the fruit or nuts.

**Landscapes:** For use in preparing areas for planting or ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be planted **1 day** after treatment.

**Wildlife areas site preparation:** Use Tide Glyphosate 41% Plus Weed and Grass Killer to prepare areas for planting wildlife food plots. Exotic or undesirable plants can be controlled with Tide Glyphosate 41% Plus Weed and Grass Killer to allow for planting or recovery of native plant species. Spot treatments may be directed to selectively remove unwanted plants. Avoid spray drift to desirable plants.

#### For lawn renovation/replacement:

Use Tide Glyphosate 41% Plus Weed and Grass Killer to kill existing vegetation (weeds and grasses and the old lawn).

Apply in spring or fall, when daytime temperatures are at least 60° F for best results.

If the lawn is dry, water lawn every other day for 7 days before applying Tide Glyphosate 41% Plus Weed and Grass Killer.

Do not mow for 7 days before or after treatment.

Use 2 ½ fl oz per gallon of water for each 300 sq ft of area to treat.

Wait 7 days after application to prepare the soil by raking, leveling or rototilling.

Rake up and remove loosened thatch or debris.

Work in starter fertilizer and soil amendments, if needed. Level the soil.

Sow new seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Use temporary mulch such as straw to conserve moisture.

Keep area moist for 2 weeks to establish new lawn. Water as needed.

**To Control Brush or Vines:** Apply to green and actively growing brush or vines. For plants taller than 5 feet, cut them back and spray regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak. To kill vines growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray thoroughly covering remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and treat as directed for stumps or spray regrowth. If spraying regrowth shield shrub and green trunk from drift with a sheet of plastic or cardboard.

**Stump Treatment:** Stumps can be treated to prevent regrowth. Apply Tide Glyphosate 41% Plus Weed and Grass Killer when vegetation is actively growing or immediately (within 5 minutes) after being cut down.

- Cut stump close to the soil surface.
- Make 4-5 nail holes into the stump.
- Flood the stump with undiluted product.

This treatment will suppress or control many types of woody brush and trees, such as alder, bluegum, eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tan oak.

## [When to replant] [Re-Planting instructions] [Reseeding and replanting in treated areas]

All ornamental flowers, trees and shrubs [and the following berries, fruits, vegetables and herbs] may be planted **1 day** after application.

[Artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, brussels sprouts, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, cranberry, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale,

kohlrabi, leek, lentils, lettuce, loganberry, mustard greens, okra, olallieberry, onion, parsley, parsnips, potato, radish, rape greens, raspberry (black and red), rhubarb, rutabaga, spinach, sweet potato, turnip and yams.]

The following fruits, vegetables and herbs may be planted **3 days after** application: Corn, cucumber, eggplant, garlic, gourds, melons (all), peas (all), peppers (all), pumpkin, squash (summer and winter), tomatillo, tomato\* (by seed) and watercress.

\*Note: Wait 3 days before planting tomatoes from seed and **30 days** for rooted tomato transplants. For tomato transplants or vegetables not listed, wait **30 days** after spraying before planting into treated soil.

**Fruit and Nut Trees, Caneberries and Grapevines:** Allow **21 days** before eating the fruits or nuts when using Tide Glyphosate 41% Plus Weed and Grass Killer to control weeds around fruit or nut trees, caneberries and grapevines.

#### STORAGE AND DISPOSAL

**PESTICIDE STORAGE:** Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing.

**PESTICIDE DISPOSAL AND CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

Spill or Leak: In case of spill or leak, soak up with paper towels and discard in trash.

ORTHO, ORTHO Dial 'n Spray and ORTHO Spray-Ette are registered trademarks of Monsanto Company.

### CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND DISCLAIMER

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Tide International USA, Inc. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, TIDE INTERNATIONAL USA, INC. MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. NO AGENT OF TIDE INTERNATIONAL USA, INC. IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, TIDE INTERNATIONAL USA, INC. DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT TIDE INTERNATIONAL USA, INC.'S ELECTION, THE REPLACEMENT OF PRODUCT.

[EPA approval date]